



## Product Specifications

PRODUCT: LED Ribbon Dimmer

MODEL: PDS7030




High precision Dimmer is a controller that it can adjust brightness infinitely, **and the changing effect is very smoothly**. Its control mode is knob-operated control, and you could adjust light to the appropriate lighting brightness in accordance with your actual need.

### Technical parameters


- Working temperature: -20-60 °C
- Supply voltage: DC12V Please note 24V 8A and 48V 4A versions are also available please ask for details.
- Output: 1 channel
- External dimension: L89 X W59 X H35 mm
- Packing size: L96 X W64X H65 mm
- Net weight: 85 g
- Gross weight: 110 g
- Static power consumption: <1 W
- Output current: <8 A
- Power output: 96 W

## External Dimension



## Interface Specifications

Power input interface:



Adopt male and female connector with screw.

Load output interface:



Adopt male and female connector with screw.

## Direction for use

1. Connect the load wire at first, following by the power wire; **Please ensure short circuit can not occur between connecting wire before you turn on the power;**
2. Adopt rotary button, its function as follows:  
Rotate button to the right, brightness will be brighter, when you rotate it to the far right, the brightness is greatest.  
Rotate button to the left, brightness will be darker, when you rotate it to the far left, the light will be turned off.

## Typical Applications

